

INDEX MAPS.

T. 3 N. R. 9 E. 2nd Mer.

	404	404	404	405	405	405						
406	6	427	5	422	4	418	3	415	2	411	1	401
	427	427	422	418	415	411						
406	7	426	8	421	9	418	10	414	11	411	12	402
	426	426	421	417	414	410						
406	18	425	17	421	16	417	15	414	14	410	13	402
	425	425	420	417	413	410						
407	19	424	20	420	21	416	22	413	23	409	24	402
	424	424	420	416	413	409						
407	30	423	29	419	28	416	27	412	26	409	25	403
	423	423	419	416	412	408						
408	31	422	32	419	33	415	34	412	35	408	36	403
	399	399	399	399	399	399						
	401	401	401	400	400	400						

T. 4 N. R. 9 E. 2nd Mer.

	434	434	434	435	435	435	435	435	435	435	435	
437	6	459	5	453	4	449	3	445	2	441	1	433
	459	458	453	449	445	441						
437	7	458	8	452	9	448	10	445	11	441	12	432
	458	457	452	448	444	440						
437	18	457	17	452	16	448	15	444	14	440	13	432
	456	456	451	447	443	444						
436	19	456	20	451	21	447	22	443	23	439	24	432
	455	455	451	447	443	439						
436	30	455	29	450	28	446	27	442	26	439	25	431
	454	454	450	446	442	438						
436	31	454	32	450	33	446	34	442	35	438	36	431
	429	429	429	430	430	430						
	429	429	429	430	430	430						

The figures on the lines refer to the page.

Township N. 3 North, Range E. 9 East, 2^d Mer. Indiana 399
ch. lks

South Boundary

East On Rand^m S. boundary of Sec. 31

40.00 Set temp^y. of Sec. post

52.00 a Brook 3 lks. wide Course S.

75.00 a Brook 15 " " S.W.

80.00 Set temp^y. Cor. to Sec. 31 & 32

Good land timber Oak, Hickory &c

East On Rand^m S. boundary of Sec. 32

0.50 a Brook 3 lks. wide C.P.S.

31.00 a Do. 3 " " S.

40.00 Set temp^y. of Sec. post

47.00 a Brook 3 lks. wide Course S.

60.00 a Do. 6 " " S.W.

80.00 Set temp^y. Cor. to Sec. 32 & 33

First 1/2 mile flat, last 1/2 pretty good, timber
Peech, Oak, Gum &c.

East On Rand^m S. boundary of Sec. 33

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Cor. to Sec. 33 & 34

Flat land, timber Peech, Oak, Gum &c.

East On Rand^m S. boundary of Sec. 34

11.00 a Brook 3 lks. wide Course S.

40.00 Set temp^y. of Sec. post

46.00 a Brook 4 lks. wide C.P.S.

80.00 Set temp^y. Cor. to Sec. 34 & 35

Land & timber &c. same as on the last mile

East On Rand^m S. boundary of Sec. 35

7.00 a Brook 4 lks. wide Course S.

30.00 a Do. 15 " " S.W.

40.00 Set temp^y. of Sec. post

47.00 a Brook 4 lks. wide Course S.W.

55.00 a Do. 3 " " S.

T³N R9E 2nd Mer. Indianach²th

70.00 a Brook 3 lms. wide Course S.W.

80.00 Set temp. Cor. to Sec. 35 & 36

Hilly rich land timber Oak, Ash & Hickory

East On Land S. boundary of Sec. 36

10.00 a Brook 3 lms. wide Course S.

25.00 a Do. 3 " " " S.W.

40.00 Set temp. of Sec. post

77.50 full 300 lms. S. of Cor. to Township 2 of 3 N.
of Range 9 of 10 East
Hilly thin Oak land

True Line. var. 5.50' E.

West On S. boundary of Sec. 36

40.00 Set of Sec. post, from which

a Gum 16 in. dist. by N 39 E 18 lms. dist. of

a W. Oak 40 " " " N 4 E 32 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Hickory 14 in. dist. by N 17 W 5 lms. dist. of

a Do. 12 " " " S 52 W 31 " "

West On S. boundary of Sec. 35

40.00 Set of Sec. post, from which

a Poplar 36 in. dist. by N 49 W 19 lms. dist. of

an Ash 16 " " " N 75 E 26 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

a W. Oak 16 in. dist. by N 23 E 18 lms. dist. of

a Do. 12 " " " S 49 W 54 " "

West On S. boundary of Sec. 34

40.00 Set of Sec. post, from which

a Gum 18 in. dist. by N 30 E 28 lms. dist. of

a Maple 12 " " " S 49 W 34 " "

80.00 Set post Cor. to Sec. 33 & 34, from which

a Maple 12 in. dist. by N 74 E 10 lms. dist. of

a W. Oak 16 " " " N 52 W 43 " "

401

T3N R9E 2^d Mer. Indiana

ch. 1/4

West On S. boundary of Sec. 33

- 40.00 Set of Sec. post, from which
 a W. Oak 16 mi. dist. by N 2 E 26 lns. dist. of
 a Gum 18 " " " N 24 E 22 " "
 80.00 Set post cor. to Sec. 32 of 33, from which
 a Hickory 9 mi. dist. by N 7 E 29 lns. dist. of
 a W. Oak 9 " " " S 80 W 29 " "

West On S. boundary of Sec. 32

- 40.00 Set of Sec. post, from which
 a Beech 12 mi. dist. by N 21 E 37 lns. dist. of
 a W. Oak 12 " " " S 8 W 42 " "
 80.00 Set post cor. to Sec. 31 of 32 from which
 a W. Oak 30 mi. dist. by N 69 W 24 lns. dist. of
 a Do. 24 " " " S 64 E 45 " "

West On S. boundary of Sec. 31

- *38.75 Set of Sec. post, from which
 a W. Oak 9 mi. dist. by N 54 W 9 lns. dist. of
 a Beech 16 " " " S 49 E 54 " "
 (* This first half mile should be 40.00 according
 to the law of the U.S. — S.M.)
 77.50 to The Township Corner

East Boundary var. 5° 50' E.

South On E. boundary of Sec. 1, T3N, R9E.

- 33.22 a W. Oak 14 mi. dist.
 40.00 Set of Sec. post, from which
 a W. Oak 15 mi. dist. by N 60 E 33 lns. dist. of
 a Hickory 12 " " " S 12 E 18 " "
 55.00 a W. Oak 20 " "
 68.65 a Sugar 16 " "
 78.50 a Brook 10 lns. wide Course S. E.
 80.00 Set post cor. to Sec. 1 of 12, from which
 a Walnut 18 mi. dist. by N 76 W 6 lns. dist. of
 a Beech 10 " " " N 43 E 15 " "

St. 129 E. 2nd Mer. Indiana

ch² 1/4

Rich level land, timber Oak, Beech, Poplar &c

South On E. boundary of Sec. 12

10.50 a Brook 4th wide Course E.

36.36 a Poplar 28 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bray N 38 E. 18 lks. dist. &
a Do. 16 " " " S 29 E 50 " "

59.50 a Poplar 72 " "

72.00 a Brook 10th wide Course E.

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 14 in. dia. bray N 61 W 8 lks. dist. &
a Do. 9 " " " S 78 E 23 " "
First 1/2 mile level & last 1/2 mile hilly rich
land, timber Ash, Poplar, Beech &c.

South On E. boundary of Sec. 13

32.50 an Ash 16 in. dia.

40.00 Set of Sec. post, from which
a Buckeye 18 in. dia. bray N 49 E 7 lks. dist. &
a Beech 14 " " " S 47 W 8 " "

58.00 a Brook 10th wide C. S. E.

60.00 a Do. 10 " " " S. W.

65.00 a Beech 24 in. dia.

78.50 a Brook 20th wide Course E.

80.00 Set post Cor. to Sec. 13 of 24, from which
an Elm 16 in. dia. bray N 51 E 19 lks. dist. &
a Hickory 9 " " " S 79 W 60
Part hill & part River bottom, Sugar, Ash, Elm
Buckeye &c. - last 1/2 all river bottom

South On E. boundary of Sec. 24

23.50 an Ash 36 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bray N 83 E. 22 lks. dist. &
a Buckeye 15 " " " S 81 W 25 " "

403

S³ R 9 E. 2^d Mer. Indiana

ch. 1st M^y

50.00 Begin to ascend the River hill

64.50 a Syc 24 in. dia.

70.00 top of the hill

80.00 Set post Cor. to Sec. 24 & 25, from which
a W. Oak 20 in. dia. bray N 18 E 20 lks. dist. of
an Ash 15 " " " S 56 W 19 " "
Rich land part hill & part River bottom
timber Buckeye, Beech, Ash &c. Sept. 11. 1806

South On E. boundary of Sec. 25

23.00 a Brook 15 lks. wide C. E. East

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bray N 42 E 26 lks. dist. of

a Do. 9 " " " West 28 " "

67.50 a Maple 14 " "

80.00 Set post Cor. to Sec. 25 & 36, from which

a W. Oak 36 in. dia. bray N 36 W 26 lks. dist. of

a Do. 15 " " " S 15 E 30 " "

First 1/2 mile level good land, last 1/2 mile
poor level Oak land.

South On E. boundary of Sec. 36

26.00 a Hickory 24 in. dia.

40.00 Set of Sec. post, from which

a W. Oak 16 in. dia. bray North 23 lks. dist. of

a Do. 18 " " " S 9 E 43 " "

46.50 a Brook 10 lks. wide Course S. E.

56.00 a W. Oak 16 in. dia.

62.00 a Brook 3 lks. wide Course E.

80.00 Set post Cor. to Township 2 of 3 North, of
Range 9 & 10 E. from which

a Hickory 24 in. dia. bray S 22 W 23 lks. dist. of

a Locust 18 " " " N 48 E 42 " "

Very hilly & broken land, timber, Oak, Beech
Hickory, Cedar &c.

T3N R9E. 2^d Mer. Indiana

ch. lth

North Boundary.

August 28th 1806. var. 5th 57' E

East On S. boundary of Sec. 31, T4N. R9E.

10.80 a N. Oak 30 m. dist.

40.00 Let gr. Sec. post, from which
a N. Oak 50 m. dist. by East 16 lth. dist. of
a Beech 16 " " " N 80 W 30 " "

62.40 a dlo. 8 " "

77.20 a N. Oak 16 " "

80.00 Let post cor. to Sec. 31 & 32, T4N. R9E, from which
a Beech 7 m. dist. by S 74 E 13 lth. dist. of
a N. Oak 40 " " " N 30 W 28 " "

First 1/2 level rich - last 1/2 level & poor, Oak,
Beech, Poplar &c

East On S. boundary of Sec. 32, T4N. R9E.

22.00 a N. Oak 30 m. dist.

40.00 Let gr. Sec. post, from which
a Beech 6 m. dist. by S 60 E 9 lth. dist. of
a dlo. 30 " " " S 83 W 44 " "

46.00 a Brook 6 lth. wide Course N.

51.50 a Beech 12 m. dist.

71.90 an Ash 36 " "

80.00 Let post cor. to Sec. 32 & 33, T4N. R9E, from which
a Beech 14 m. dist. by West 26 lth. dist. of
a dlo. 18 " " " S 34 E 31 " "

First 1/2 mile middling quality - last 1/2 mile
1st rate, timber Beech, Sugar, Walnut, Ash &c.

East On S. boundary of Sec. 33, T4N. R9E

20.25 a Beech 16 m. dist.

24.00 a Brook 6 lth. wide Course S.

40.00 Let gr. Sec. post, from which
a N. Oak 50 m. dist. by North 16 lth. dist. of
a Beech 16 " " " S 35 E 18 " "

63.40 a Gum 16 " "

T 3 N R 9 E. 2nd Mer. Indiana

406

ch. l. 67
80.00 Let post Cor. to Sec. 33 & 34, T 4 N. R 9 E, from which
a Gum 6 mi. dist. by N 30 W 31 l. dist. of
a W. Oak 30 " " S 52 E 39 " "
Level good land, Beech, Gum, Oak &c

East On S. boundary of 34, T 4 N. R 9 E.

28.00 a Beech 12 mi. dist.

40.00 Let q. Sec. post, from which
a Beech 15 mi. dist. by N 78 W 28 l. dist. of
a Gum 20 " " " S 58 E 27 " "

64.50 a Beech 15 " "

77.00 a Brook 3 l. wide Course S.

80.00 Let post Cor. to Sec. 34 & 35, T 4 N. R 9 E, from which
a W. Oak 12 mi. dist. by S 85 W 30 l. dist. of
a Beech 16 " " " S 59 E 13 " "
Sand level, timber Beech, Oak, Gum &c

East On S. boundary of Sec. 35, T 4 N. R 9 E.

13.50 a Brook 3 l. wide Course S.

17.50 a Poplar 28 mi. dist.

40.00 Let q. Sec. post, from which
a Poplar 16 mi. dist. by S 64 W 11 l. dist. of
a Beech 12 " " " S 85 E 31 " "

60.00 a W. Oak 60 " "

65.00 a Creek 40 l. wide Course S.

80.00 Let post Cor. to Sec. 35 & 36, T 4 N. R 9 E, from which
a Beech 12 mi. dist. by S 79 W 27 l. dist. of
a Do. 12 " " " S 66 E 38 " "
Level land good soil, Beech, Oak, Poplar &c.

East On S. boundary of Sec. 36, T 4 N. R 9 E

16.00 a Brook 4 l. wide Course S.

18.60 a W. Oak 30 mi. dist.

38.50 a Brook 6 l. wide Course S.

40.00 Let q. Sec. post, from which
a Beech 14 mi. dist. by S 39 E. 24 l. dist. of

406 T3N R9E. 2nd Mer. Indiana

- ch² l¹ l²
 55.00 a Hickory 14 m. diam. brang N46W32 l¹ m. dist. of
 a Brook 15 l¹ m. wide Course S.W.
 65.50 a Cherry 12 m. diam.
 80.00 Let post Cor. to Townships 3 & 4 North, of
 Range 9 & 10 East, from which
 a P. Oak 8 m. diam. brang S8W10 l¹ m. dist. of
 a do. 9 " " " N3W35 "
 Rich level land, timber Beech, Oak, Poplar &c.

West Boundary.

September 16th 1806. variation 5.50'E.

South On E. boundary of Sec. 1, T3N, R8E.

- 34.15 a W. Oak 14 m. diam.
 40.00 Let q^r. Sec. post, from which
 a P. Oak 24 m. diam. brang N65W38 l¹ m. dist. of
 a Poplar 3 " " " S31E12 " "
 80.00 Let post Cor. to Sec. 1 & 12, T3N, R8E, from which
 a Beech 12 m. diam. brang N49W7 l¹ m. dist. of
 a Gum 12 " " " N49E38 "
 Sand flat, timber Beech, Gum, Oak &c.

South On E. boundary of Sec. 12, T3N, R8E.

- 32.00 a P. Oak 24 m. diam.
 40.00 Let q^r. Sec. post, from which
 a W. Oak 20 m. diam. brang N54E13 l¹ m. dist. of
 a Beech 16 " " " S8E13 " "
 70.50 a W. Oak 16 " " "
 80.00 Let post Cor. to Sec. 12 & 13, T3N, R8E, from which
 a Hickory 6 m. diam. brang N30W17 l¹ m. dist. of
 a Walnut 14 " " " N4E33 "
 Sand level & good, timber Beech, Oak &c.

South On E. boundary of Sec. 13, T3N, R8E.

- 3.00 a Brook 4 l¹ m. wide Course S.W.
 8.50 a do. 4 " " " W.
 9.55 a Honey Locust 16 m. diam.

T3N. R9E. 2nd Mer. Indiana 407

ch. lth

39.00 a Brook 3 lth. wide Course S. W.

40.00 Set of Sec. post, from which
a Beech 13 in. dia. bray N42 W 25 lth. dist. of
a do. 18 " " " S7 E 34 " "

71.00 a Brook 5 lth. wide Course W.

80.00 Set post Cor. to Sec. 13, 24, T3N. R8E, from which
a Beech 14 in. dia. bray S64 E 10 lth. dist. of
a do. 10 " " " N18 W 34 " "
Land good, timber Oak, Beech &c.

South On E. boundary of Sec. 24, T3N. R8E.

10.00 a Brook 3 lth. wide Course W.

37.00 a do. 3 " " " W.

40.00 Set of Sec. post, from which
a Beech 16 in. dia. bray S44 W 11 lth. dist. of
a do. 16 " " " N59 E 27 " "

51.20 a do. 16 " "

80.00 Set post Cor. to Sec. 24 & 25, T3N. R8E, from which
a Sugar 9 in. dia. bray N30 E 13 lth. dist. of
a Beech 12 " " " S32 W 33 " "
Poor hilly Oak, Beech, Sugar &c

South On E. boundary of Sec. 25, T3N. R8E.

24.00 a Creek 50 lth. wide Course S. W.

40.00 Set of Sec. post, from which
a W. Oak 36 in. dia. bray S9 E 19 lth. dist. of
a Poplar 16 " " " N62 W 29 " "

47.50 a Brook 3 lth. wide Course W.

60.00 a do. 15 " " " W.

78.00 a do. 10 " " " W.

80.00 Set post Cor. to Sec. 25 & 26, T3N. R8E, from which
a W. Oak 30 in dia. bray N50 W 11 lth. dist. of
a W. Oak 20 " " " S19 W 64 " "
Land hilly first 1/2 rich & last 1/2 poor, timber
Oak, Hickory, Ash &c.

T3N R9E 2^d Mer. Indiana

ch. p. lks
 South On E. boundary of Sec. 36, T3N R9E.
 22.00 a Birch 3 lks. wide Corner N.
 37.00 a do. 3 " " " N.
 40.00 Set of Sec. post, from which
 a W. Oak 24 in. dia. bears N 73 E 24 lks. dist. &
 a do. 24 " " " S 47 W 24 " "
 80.00 Set post Cor. to Township 2 & 3 North, of
 Range 8 & 9 East, from which
 a W. Oak 36 in. dia. bears N 31 W 10 lks. dist. &
 a Hickory 24 " " " S 7 E 32 " "
 Land good, timber Oak, Ash, Hickory &c.
 September 17th. 1806

Surveyed By
 Alexander Holmes,
 Deputy Surveyor

Subdivision. Dec. 17th. 1806
 North Between Secs. 35 & 36, T3N R9E.
 22.00 an Oak 20 in. dia.
 40.00 Set of Sec. post, from which
 a Hickory 20 in. dia. bears South 28 lks. dist. &
 a Gum 12 " " " N 54 W 20 " "
 59.75 a W. Oak 28 " "
 80.00 Set post. Cor. to Secs. 25, 26, 35 & 36, from which
 a Hickory 20 in. dia. bears S 27 E 8 lks. dist. &
 an Oak 9 " " " S 83 W 3 " "
 level Land - timber Oak & Maple.

East On Pradom between Secs. 25 & 36
 40.00 Set temp. of Sec. post
 79.78 Intersected the E. boundary 55 lks. S. of post
 Land very level & wet timber Oak & Maple.

West Corrected between Secs. 25 & 36
 39.89 Set of Sec. post, at average dist. from which
 a Gum 18 in. dia. bears S 14 E 18 lks. dist. &

409

S. N. R. G. 2nd Mer. Indiana

ch. 1/2

a Sapafra 10 in dia. bears N 44 W 9 lks. dist.
79.78 to Section Corner

North Between Sect. 25 & 26

20.00 a Maple 9 in. dia.

40.00 Set of. Sec. post, from which
an Oak 10 in. dia. bears S 14 W 6 lks. dist. &
a No. 30 " " " N 46 E 42 " "

60.75 a No. 20 " "

80.00 Set post Cor. to Sect. 23, 24, 25 & 26, from which
a Maple 28 in. dia. bears N 72 E 13 lks. dist. &
a Hickory 8 " " " S 31 W 30 " "
Land level timber Oak & Maple.

East On Random between Sect. 24 & 25

40.00 Set temp. of. Sec. post.

79.90 Intersected the E. boundary 75 lks. S. of post
Land level timber Oak, Maple, & Gum, in
the Section is a small improvement & cabin
near the half mile post in the Town line.

West Corrected between Sect. 24 & 25

39.95 Set of. Sec. post, at average dist. from which
a Maple 10 in. dia. bears S 29 W 7 lks. dist. &
a Gum 30 " " " N 29 E 8 " "

79.90 to Section Corner

North Between Sect. 23 & 24

20.54 a Gum 6 in. dia.

40.00 Set of. Sec. post, from which
a Beech 20 in. dia. bears N 77 W 5 lks. dist. &
a No. 24 " " " S 77 E 30 " "

50.00 a Stream 6 lks. wide Course E.

60.50 an Oak 24 in. dia.

80.00 Set post Cor. to Sect. 13, 14, 23 & 24, from which
a Sugar 18 in. dia. bears N 29 W 44 lks. dist.

S. 31 N 9 E. 2nd Mer. IndianaCh. 6th

an Elm 12 in. dia. bears N 34 E 10 lbs. dist.
This last half mile very fertile & level timber
Beech, Oak, Walnut & Ash.

East On Random between Sec. 13 & 24

6.00 a Cabin in Sec. 24

30.00 a Cataract of a small stream the fall of water
near 100 feet back of which is a remarkably large cave

40.00 Set temp. g. Sec. post

79.70 Intersected the East boundary 74 lbs. S. of post.

Corner in the Ohio bottom Land partly mountainous
with some that is level & fertile. timber Ash
Buckeye Sugar & Walnut &c.

West Corrected between Sec. 13 & 24

39.85 Set g. Sec. post, at average dist, from which
a Walnut 12 in. dia. bears N 60 W 25 lbs. dist. &
an Elm 15 " " " S 5 E 8 " "

79.70 to Section Corner. December 18th 1806.

North Between Sec. 13 & 14

21.00 an Oak 30 in. dia.

40.00 Set g. Sec. post, from which
an Elm 8 in. dia. bears S 30 W 20 lbs. dist. &
an Ash 15 " " " N 6 W 33 " "

44.00 Watters Spring branch 20 lbs. wide C. E.

60.00 a Gum 20 in. dia. at the Corner of Watters field

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 20 in. dia. bears S 88 E 44 lbs. dist. &

a Do. 18 " " " S 51 W 12 "

Land level & fertile, timber Oak, Beech, Ash & Walnut

East On Rand^m. between Sec. 12 & 13

40.00 Set temp. g. Sec. post

80.25 Intersected the N & S. line 45 lbs. S. of post
Land timber &c. Same as on the last mile

T3N R9E. 2^d Mer. IndianaCh. 2nd

West Connected between Sec. 12 & 13

40.12 Set q^r. Sec. post at average dist. from which
 a Buckeye 30 in. dia^r. bran N 32 E 7¹/₂ m. dist. of
 a Beech 10 " " " S 12 W 12 " "
 80.25 to Sec. Corner.

North Between Sec. 11 & 12

20.40 a Beech 18 in. dia^r.

40.00 Set q^r. Sec. post, from which
 an Oak 12 in. dia^r. bran N 73 E 10¹/₂ m. dist. of
 a do. 28 " " " S 6 W 25 " "

60.50 a Hickory 15 " "

80.00 Set post cor. to Sec. 11, 12, 1 & 2, from which
 an Oak 20 in. dia^r. bran S 73 W 35¹/₂ m. dist. of
 a Poplar 12 " " " N 47 E 15 " "
 Land level, timber Oak & Hickory

East On Land^m. between Sec. 1 & 1240.00 Set temp^y. q^r. Sec. post

80.00 Intersected E. boundary 46 m. S. of post
 Land timber &c. same as on the last mile

West Connected between Sec. 1 & 12

40.00 Set q^r. Sec. post at average dist. from which
 a Oak 18 in. dia^r. bran N 70 E 25¹/₂ m. dist. of
 a do. 10 " " " N 66 E 15 " "

80.00 to Sec Corner

North Between Sec. 1 & 2

19.20 an Oak 12 in. dia^r.

24.00 a Stream 10 m. wide Course W.

40.00 Set q^r. Sec. post, from which
 a Sugar 18 in. dia^r. bran S 77 W 9¹/₂ m. dist. of
 a Gum 15 " " " N 46 E 7 " "

48.00 a Stream 40 m. wide Cr. W. - water of W. River

61.00 a Poplar 28 in. dia^r.

S. N. R. G. I. Mer. Indiana

ch. 1/4
80.06 Intersected the N. boundary 20 km. W. of post:
Set post Cor. to Sec. 1 & 2, from which
a Beech 10 in. dia. bear S 74 W 3 km. dist. of
a Do. 8 " " " N 85 E 20 " "
Land tolerably level & good for farming, timber
Oak & Beech. Dec. 19. 1876

North Between Sec. 34 & 35

20.50 an Oak 24 in. dia.

40.00 Set q. Sec. post, from which
a Hickory 20 in. dia. bear S 61 W 30 km. dist. of
an Oak 24 " " " North 25 " "

63.00 an Oak 30 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
a Hickory 18 in. dia. bear N 81 E 19 km. dist. of
a Beech 10 " " " N 46 W 18 " "
Land level, timber Oak & Hickory

East On Road^m. between Sec. 26 & 35

40.00 Set temp. q. Sec. post

79.50 Intersected the N. of S. line 94 km. S. of post
Land level & good, timber Oak & Maple

West Corrected between Sec. 26 & 35

39.75 Set q. Sec. post at average dist. from which
a Gum 20 in. dia. bear N 29 W 11 km. dist. of
a Dogwood 8 " " " N 13 W 25 " "

79.50 to Sec. Corner

North Between Sec. 26 & 27

20.60 a Hickory 8 in. dia.

40.00 Set q. Sec. post, from which
an Oak 20 in. dia. bear N 10 E 12 km. dist. of
a Gum 18 " " " S 21 E 21 " "

56.00 a Stream 15 km. wide Course N.

61.00 a Beech 6 in. dia.

3^d N. R. 9 E. 2^d Mer. Indiana

413

ch^d 1st m.

80.00 Set post: Cor. to Secs. 26, 27, 22 & 23, from which
a Dogwood 7 in. dia. bray N 60 E 8 1/2 m. dist. &
an Oak 9 " " " N 40 W 8 " "
Sand level timber Oak, Hickory & Dogwood

East On Rand^m. between Secs. 23 & 26

40.00 Set temp^y. gr. Sec. post
79.52 Intersected the N & S. line 38 1/2 m. S. of post
Sand timber &c. Same as on the last mile

West Corrected between Secs. 23 & 26

39.76 Set gr. Sec. post. at average dist. from which
a Maple 12 in. dia. bray N 16 E 14 1/2 m. dist. &
a Hickory 9 " " " N 41 E 20 " "
79.52 to Sec. Corner.

North Between Secs. 22 & 23

20.12 a Gum 6 in. dia.
40.00 Set gr. Sec. post, from which
an Oak 30 in. dia. bray N 40 E 12 1/2 m. dist. &
a Maple 15 " " " N 4 W 10 " "
61.00 an Oak 18 " " "
80.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which
a Maple 16 in. dia. bray S 28 E 13 1/2 m. dist. &
a Do. 12 " " " N 14 W 14 " "
Sand timber &c. Same as on the last mile

East On Rand^m. between Secs. 14 & 23

40.00 Set temp^y. gr. Sec. post
79.90 Intersected the N & S. line at the post
Sand timber &c. Same as on the last mile

West Corrected between Secs. 14 & 23

39.95 Set gr. Sec. post at average dist. from which
an Oak 30 in. dia. bray N 37 W 4 1/2 m. dist. &
a Do. 24 " " " N 40 E 35

S. R. 129 E. 2^d. Mer. Indiana
 ch. 2th
 79.90 to Sec. Corner.

North Between Secs. 14 & 15

21.40 a Beech 8 mi. dist.

40.00 Set of Sec. post, from which
 a Gum 12 mi. dist. bear N 20 E 14 km. dist. of
 a Maple 14 " " " S 5 E 21 " "

61.05 an Oak 20 " "

80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
 a Maple 12 mi. dist. bear N 16 W 14 km. dist. of
 an Oak 30 " " " S 37 W 25 " "
 Sand level & brushy, timber Gum, Oak & Maple

East On Land^{gm} between Secs. 11 & 14

40.00 Set temp. of Sec. post

79.40 Intersected the N & S line 50 km. N. of post
 Sand level, timber Oak, Beech & Gum. In the
 N.E. of this Sec. Watt's lives

West Connected between Secs. 11 & 14

39.70 Set of Sec. post at average dist. from which
 a Gum 20 mi. dist. bear S 36 W 8 km. dist. of
 an Oak 24 " " " N 43 E 37 " "

79.40 to Sec. Corner

North Between Secs. 10 & 11

20.48 an Oak 20 mi. dist.

40.00 Set of Sec. post, from which
 an Oak 15 mi. dist. bear S 70 E 28 km. dist. of
 a Maple 12 " " " N 25 W 20 " "

59.25 a Gum 10 " "

80.00 Set post Cor. to Secs. 2, 3, 10 & 11, from which
 a Hickory 20 mi. dist. bear N 53 W 12 km. dist. of
 an Oak 30 " " " S 75 E 14 " "
 Sand level, timber Oak, Hickory & Gum

3^d 129 E. 2nd Mer. Indiana

415

Ch. P. M.

East On Rand^m between Sec. 2 & 11

40.00 Set temp. gr. Sec. post

80.00 Intersected the N & S. line 62 lks. N. of post
Land timber &c. Same as on the last mile

West Corrected between Sec. 2 & 11

40.00 Set gr. Sec. post at average dist. from which
a Hickory 24 in. diam. bears N 25 W 13 lks. dist. of
an Ash 18 " " " S 52 W 11 " "

80.00 to Sec. Corner.

North Between Sec. 2 & 3

20.50 a Mulberry 12 in. diam.

31.00 a stream 40 lks. wide comes S. W.

40.00 Set gr. Sec. post, from which
a Beech 14 in. diam. bears N 49 W 45 lks. dist. of
a Sugar 12 " " " South 26 " "

60.20 a Cogwood 4 " "

79.12 Intersected the N. boundary 82 lks. N. of post
Set post Cor. to Sec. 2 & 3, from which
a Gum 18 in. diam. bears S 37 W 10 lks. dist. of
a Maple 20 " " " N 13 E 20 " "
Land level, timber, Poplar, Beech, Gum

January 5th 1807

North Between Sec. 33 & 34

21.95 a Maple 20 in. diam.

40.00 Set gr. Sec. post, from which
a Gum 15 in. diam. bears N 79 E 6 lks. dist. of
a Beech 12 " " " S 72 W 16 " "

58.50 an Oak 24 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 14 in. diam. bears S 25 W 6 lks. dist. of
a Do. 9 " " " N 22 E 20 " "
Land flat, timber W. Oak & Maple

T3N R9E. T^h. Mer. Indianach^o. l^yEast On Rand^m. between Secs. 27 & 3440.00 Set temp^y. of Sec. post79.45 Intersected the N & S. line 70 l^ys. S. of post
Land timber &c. same as on last mile

West Corrected between Secs. 27 & 34

39.72 Set of Sec. post at average dist. from which
a Maple 10 m. dist. from N 64 E 20 l^ys. dist. of
an Oak 24 " " " 79.48 " "

79.45 to Sec. Corner

North Between Secs. 27 & 28

20.00 a Hickory 9 m. dist.

40.00 Set of Sec. post, from which
a Gum 16 m. dist. from N 31 E 8 l^ys. dist. of
an Oak 18 " " " 21.75 " "52.00 a Stream 10 l^ys. wide Corner E.

60.00 a Hickory 12 m. dist.

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
an Oak 10 m. dist. from N 31 E 15 l^ys. dist. of
a Beech 18 " " " 19.25 " "
Land timber &c. same as on the last mileEast On Rand^m. between Secs. 22 & 2740.00 Set temp^y. of Sec. post42.00 a Stream 15 l^ys. wide Corner S.79.50 Intersected the N & S. line 20 l^ys. S. of post
Land timber &c. same as on the last mile

West Corrected between Secs. 22 & 27

39.75 Set of Sec. post at average dist. from which
an Elm 12 m. dist. from N 39 W 12 l^ys. dist. of
an Oak 26 " " " 38.42 " "

79.50 to Sec. Corner.

North Between Secs. 21 & 22

3^d R9 E. 2^d Mer. Indiana

417

ch. l. l. h.

20.50 an Oak 24 in. dia.;

40.00 Set of Sec. post, from which
an Oak 18 in. dia. bear South 17 l. h. dist. of
a No. 30 " " " N 9 W 50 " "

61.25 an Oak 10 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Red Bud 6 in. dia. bear West 5 l. h. dist. of
an Oak 12 " " " S 89 E 25 " "
Land level, timber Oak, Maple, Gum & Dogwood.

East On Randm. between Sec. 15 & 22

40.00 Set of Sec. post, temporarily

79.80 Intersected the N & S. line 40 l. h. N. of post
Good farming land, timber Sugar, Oak &c.
undergth Dogwood, Spruce &c.

West Connected between Sec. 15 & 22

39.90 Set of Sec. post at average dist. from which
a Hickory 6 in. dia. bear N 40 E 14 l. h. dist. of
a Dogwood 6 " " " S 28 W 12 " "

79.80 to Sec. Corner. Jan. 6th 1807

North Between Sec. 15 & 16

20.50 a Beech 8 in. dia. bear

40.00 Set of Sec. post, from which
a Beech 8 in. dia. bear N 20 W 8 l. h. dist. of
an Ash 15 " " " S 11 E 29 " "

60.10 a Beech 24 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 20 in. dia. bear N 48 W 19 l. h. dist. of
a Walnut 10 " " " S 21 E 18 " "
Land level & very fertile timber Sugar, Walnut
Ash &c. undergth Spruce.

East On Randm. between Sec. 10 & 15

40.00 Set of Sec. post temporarily

418

S. N. R. 9 E. 2nd Mer. Indiana

ch^{lks}
 79.25 Intersected the N & S. line 10 lks. N. of post
 Land level, timber Beech & Oak

West Connected between Sec. 10 & 15

39.60 Set q^r. Sec. post at average dist. from which
 a Beech 18 m. dia^r. bray N 16 E 24 lks. dist. of
 a do. 6 " " " S 56 W 15 " "

79.25 to Sec. Corner

North Between Sec. 9 & 10

19.70 an Ash 13 m. dia^r.

40.00 Set q^r. Sec. post, from which
 a Hickory 18 m. dia^r. bray N 45 E 25 lks. dist. of
 a Gum 21 " " " S 37 W 50 " "

62.00 a Hickory 8 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 a Poplar 30 m. dia^r. bray N 28 W 25 lks. dist. of
 a Beech 10 " " " N 88 E 32 " "
 Land timber &c. same as on last mile

East On Rand^m. between Sec. 3 & 1040.00 Set temp^y. q^r. Sec. post

79.70 Intersected the N & S. line at the post
 Land mostly level, timber Beech, Oak
 Maple & Hickory.

West Connected between Sec. 3 & 10

39.85 Set q^r. Sec. post at average dist. from which
 an Oak 30 m. dia^r. bray S 36 E 28 lks. dist. of
 a Gum 10 " " " N 71 W 13 " "

79.70 to Sec. Corner

North Between Sec. 3 & 4

9.00 a stream 15 lks. wide Course W.

19.75 an Ironwood 8 m. dia^r.40.00 Set q^r. Sec. post, from which

419
S. A. N. G. E. D. Mer. Indiana
Ch. 1st m.

a Gum 10 mi. dist. - bear N 31 E 18 lks. dist. 5
a Maple 15 " " " N 46 W 4 " "
61.50 a Beech 10 " "
78.75 Intersected N. boundary 20 lks. E. of Corner.
Set post Cor. to Sec. 3 of 4, from which
a Maple 10 lks. dist. - bear N 36 W 23 lks. dist. 5
a Beech 12 " " " N 54 E 27 " "
Sand level timber Beech, Oak, Maple & Gum

January 7th 1807
North Between Sec. 32 of 33

19.20 an Oak 13 mi. dist.
40.00 Set q. Sec. post, from which
an Oak 27 mi. dist. - bear N 76 E 41 lks. dist. 5
a Gum 8 " " " N 59 W 16 " "
60.08 an Oak 22 " "
80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
a Hickory 20 mi. dist. - bear N 84 W 16 lks. dist. 5
a Maple 10 " " " N 53 E 37 " "
Sand timber &c. Same as on the last mile

East On Rand^m. between Sec. 28 of 33

40.00 Set temp. q. Sec. post
80.00 Intersected the N & S. line 25 lks. S. of post
Sand timber &c. Same as on the last mile

West Connected between Sec. 28 of 33

40.00 Set q. Sec. post at average dist. from which
an Oak 16 mi. dist. - bear N 10 W 12 lks. dist. 5
a Maple 12 " " " N 39 E 27 " "
80.00 to Sec. Corner

North Between Sec. 28 of 29

20.50 a Maple 10 mi. dist.
40.00 Set q. Sec. post, from which
a Maple 12 mi. dist. - bear N 60 E 47 lks. dist. 5

420

S. N. N. E. 2^d. Mer. Indiana

ch. l. l. l.

a Gum 12 mi. dist. from N 80 W 22 l. l. dist. of
 60.50 an Oak 18 " "
 80.00 Let post Cor. to Sec. 20, 21, 28 & 29, from which
 an Ash 8 mi. dist. from N 78 E 3 l. l. dist. of
 an Oak 15 " " " S 83 W 28 " "
 Sand level & brushy, timber Oak, Maple
 & Hickory.

East On Rand^m. between Sec. 21 & 28

40.00 Let of Sec. post temporarily
 80.00 Intersected the N & S. line 125 l. l. S. of post
 Sand timber & c. Same as on the last mile

West Corrected between Sec. 21 & 28

40.00 Let of Sec. post at average dist. from which
 a Maple 15 mi. dist. from N 77 E 29 l. l. dist. of
 a Do 18 " " " S 77 W 36 " "
 80.00 to Sec. Corner

North Between Sec. 20 & 21

19.25 an Oak 15 mi. dist. from
 40.00 Let of Sec. post, from which
 a Poplar 12 mi. dist. from N 24 E 24 l. l. dist. of
 an Oak 18 " " " S 76 W 6 " "
 61.13 an Oak 18 " "
 80.00 Let post Cor. to Sec. 16, 17, 20 & 21, from which
 a Hickory 13 mi. dist. from S 32 W 51 l. l. dist. of
 an Oak 12 " " " S 23 E 9 " "
 Sand level, timber Oak & Hickory

East On Rand^m. between Sec. 16 & 21

40.00 Let temp. of Sec. post
 80.00 Intersected the N & S. line 135 l. l. S. of post
 Sand level & brushy, timber Oak, Hickory & Gum

West Corrected between Sec. 16 & 21

421

T 3 N 9 E. 2nd Mer. Indiana

ch. l. l. l.

40.00 Set q. Sec. post at average dist. from which
a Hickory 3 in. dia. bray N 15 E 16 l. dist. of
a Gum 12 " " " S 39 E 28 " "
80.00 to Sec. Corner. Jan'y. 8th. 1877

North Between Sec. 16 & 17

20.12 a Hickory 12 in. dia.

40.00 Set q. Sec. post, from which
a Hickory 16 in. dia. bray N 10 W 63 l. dist. of
a Do. 20 " " " N 60 W 16 " "

60.75 a Hickory 17 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Hickory 12 in. dia. bray N 63 W 28 l. dist.
a Dogwood 6 " " " N 50 E 36 " "
Land level timber Oak, Gum & Maple

East On Rand. between Sec. 9 & 16

40.00 Set temp. q. Sec. post

47.50 a stream 40 l. wide Course N. W.

80.25 Intersected the N & S. line 9 l. S. of post
Land a little rolling, soil very fertile, timber
Ash, Sugar, Beech & Walnut running to Spruce
In the N. E. quarter of this section Smock and
Hardin live.

West Cor. bet. between Sec. 9 & 16

40.12 Set q. Sec. post at average dist. from which
a Beech 20 in. dia. bray East 41 l. dist. of
a Gum 20 " " " N 76 W 22 " "

80.25 to Sec. Corner

North Between Sec. 8 & 9

20.10 a Beech 12 in. dia.

30.00 a Creek 50 l. wide Course N. W.

40.00 Set q. Sec. post, from which
a Sugar 15 in. dia. bray N 77 W 7 l. dist. of

422

T3 N. R9 E. 2^d Mer. Indianach. 2^d 1/2

a Beech 15 m. dia. bray S 51 W 28 lks. dist
 60.70 a Sugar 10 " " "
 80.00 Let post Cor. to Sec. 4, 5, 8 & 9, from which
 a Sugar 10 m. dia. bray N 73 E 41 lks. dist. of
 a Do. 15 " " " S 85 W 45 " "
 Sand rolling soil very fertile, timber Sugar
 Walnut, Hackberry & Ash, underg^d. Spruce.
 The last 1/2 mile through Cornelia's improvement

East On Rand^m. between Sec. 4 & 9

40.00 Let temp^y. of Sec. post
 80.25 Intersected the N & S line 80 lks. S. of post
 Sand rolling timber Oak, Beech & Sugar

West Connected between Sec. 4 & 9

40.12 Let of Sec. post at average dist. from which
 a Beech 18 m. dia. bray N 28 E 8 lks. dist. of
 an Oak 22 " " " S 41 W 53 " "
 80.25 to Sec. Corner.

North Between Sec. 4 & 5

19.50 a Beech 24 m. dia.
 39.00 a Stream 50 lks. wide Course N.
 40.00 Let of 2^d post, from which
 a Beech 16 m. dia. bray N 20 W 5 lks. dist. of
 a Sugar 10 " " " S 60 E 35 " "
 62.50 a Beech 22 " " "
 80.50 Intersected the N. boundary 92 lks. N. of post
 Let post Cor. to Sec. 4 & 5, from which
 a Sugar 12 m. dia. bray N 50 E 13 lks. dist. of
 a Beech 12 " " " West 21 " "
 Sand rolling & the first 1/2 mile very fertile

January 9th. 1807

North Between Sec. 31 & 32, T3 N. R9 E.

9.00 a Stream 8 lks. wide Course S. W.

T3N R9E. 2^d. Mer. Indiana

Ch. lth

20.50 an Oak 20 in. diam.

40.00 Set q. Sec. post, from which
an Oak 22 in. diam. bear N65 E 22 lks. dist. of
a Hickory 10 " " " N65 W 3 " "

62.00 a Hickory 4 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
an Oak 20 in. diam. bear N17 W 28 lks. dist. of
a Do. 30 " " " N41 E 25 " "

Land level, timber Oak, Hickory & Dogwood

East On Landⁿ. between Sec. 29 & 32

40.00 Set temp. q. Sec. post

79.40 Intersected the N & S. line 90 lks. S. of post
Land level & brushy, timber Oak, Maple & Hickory

West Connected between Sec. 29 & 32

39.70 Set q. Sec. post at average, dist. from which
a Poplar 12 in. diam. bear N73 E 10 lks. dist. of
a Do. 11 " " " N6 W 24 " "

79.40 to Sec. Corner.

West Between Sec. 30 & 31

40.00 Set q. Sec. post, from which
a Dogwood 5 in. diam. bear S50 W 6 lks. dist. of
a Do. 6 " " " N6 W 19 " "78.12 Intersected W. boundary 75 lks. S. of post
Set a post Cor. to Sec. 30 & 31, from which
an Oak 20 in. diam. bear N57 W 26 lks. dist. of
a Do 24 " " " N40 E 47 " "
Land rolling, timber Oak & Dogwood

North Between Sec. 29 & 30

22.00 a Hickory 6 in. diam.

35.00 a Spring in Sec. 29

40.00 Set q. Sec. post, from which
a Gum 24 in. diam. bear S38 E 50 lks. dist. of

S. N. 129 E. 2^d Mer. Indiana

ch. 1/4

a Gum 18 in. dia. bear N 68 W 27 1/2 lks. dist.
 58.75 an Oak 20 " " "
 80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
 an Oak 20 in. dia. bear N 40 W 31 1/2 lks. dist. of
 a Hickory 12 " " " N 47 W 24 " "
 Land timber &c. same as on the last mile

East On Land m. between Sec. 20 & 29

40.00 Set temp. q. Sec. post

79.48 Intersected the N. & S. line 92 1/2 lks. S. of post
 Land rolling, timber Oak, Hickory & Dogw?

West Connected between Sec. 20 & 29

39.74 Set q. Sec. post at average dist. from which
 an Oak 18 in. dia. bear N 31 E 15 1/2 lks. dist. of
 a Do. 18 " " " South 23 " "

79.48 to Sec. Corner.

West Between Sec. 19 & 30

40.00 Set q. Sec. post, from which
 an Elm 5 in. dia. bear N 66 W 12 1/2 lks. dist. of
 an Ash 5 " " " N 22 W 16 " "

56.00 a remarkable Cave Spring in Sec. 19

62.48 a stream 15 lks. wide Course S. W.

78.15 Intersected N. boundary 125 lks. S. of post
 Set post Cor. to Sec. 19 & 30, from which
 a Beech 20 in. dia. bear West 35 lks. dist. of
 a Do. 26 " " " N 66 E 12 " "
 Land rolling & very fertile, timber Ash, Sugar
 & Walnut. Aug. 10th 1887

North Between Sec. 19 & 20

23.50 a Hickory 8 in. dia.

40.00 Set post q. Sec. Cor. from which
 an Elm 10 in. dia. bear N 61 E 4 lks. dist. of
 a Hickory 5 " " " N 45 W 38 " "

S 3^d R 9 E. T^h Mer. IndianaCh^l P. M.

- 61.00 a Sugar tree 10 mi. diam.
 62.50 a stream 20 lks. wide Course S.W.
 80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which
 a Beech 15 mi. diam. bearing N 67 E 9 lks. dist. of
 a Do. 18 " " " N 35 W 35 " "
 Land rolling & good for farming timber Sugar,
 Oak, Beech & Walnut

East On Rand^m. between Sect. 17 & 20

- 40.00 Set temp^y. q^r. Sec. post
 43.50 a stream 12 lks. wide C^o. S.W.
 79.00 Intersected the N of S. line 118 lks. S. of post
 Land timber &c. same as on last mile

West Corrected between Sect. 17 & 20

- 39.50 Set q^r. Sec. post at average dist. from which
 a Sugar 10 mi. diam. bearing N 68 W 6 lks. dist. of
 a Do. 13 " " " N 48 E 14 " "
 79.00 to Sec. Corner

West Between Sect. 18 & 19

- 40.00 Set q^r. Sec. post, from which
 a Beech 18 mi. diam. bearing N 25 E 11 lks. dist. of
 a Poplar 24 " " " N 28 W 44 " "
 79.12 Intersected W. boundary 143 lks. S. of post
 Set post Cor. to Sect. 18 & 19, from which
 a Poplar 36 mi. diam. bearing N 19 E 28 lks. dist. of
 a Beech 18 " " " N 57 W 27 " "
 Land rolling, timber Beech, Poplar, Oak & Gum

North Between Sect. 17 & 18

- 19.90 an Oak 20 mi. diam.
 40.00 Set q^r. Sec. post, from which
 a Maple 18 mi. diam. bearing N 16 E 16 lks. dist. of
 a Gum 12 " " " N 36 W 14 " "
 59.80 a Sugar 10 " "

426

Lat. N 9 E. 2nd Mer. Indiana

ch 2nd lth

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Gum 12 in. dia. bears N 62 E 14 lth. dist. &
an Oak 24 " " " S 62 W 45 " "
Land level, timber Oak & Hickory

East On Rand^m. between Sec. 8 & 17

30.50 a stream 15 lth. wide course N.

40.00 Set temp^y. q^l. Sec. post

79.00 Intersected the N. & S. line 82 lth. S. of post
Land level timber Oak, Beech & Hickory

West Connected between Sec. 8 & 17

39.50 Set q^l. Sec. post, at average dist. from which
an Elm 9 in. dia. bears N 11 E 6 lth. dist. &
a Beech 8 " " " S 70 W 30 " "

79.00 to Section Corner

West Between Sec. 7 & 18.

40.00 Set q^l. Sec. post, from which
a Beech 20 in. dia. bears N 6 W 20 lth. dist. &
a Poplar 24 " " " S 17 E 23 " "

58.75 a stream 5 lth. wide course S. W.

79.10 Intersected the W. boundary 1.50 lth. S. of post
Set post Cor. to Sec. 7 & 18, from which
a Sugar 15 in. dia. bears N 21 E 38 lth. dist. &
a Beech 10 " " " S 13 W 8 " "
Land rolling timber Poplar Oak Hickory Beech
January 12th 1887

North Between Sec. 7 & 8

20.50 a Poplar 7 in. dia.

40.00 Set q^l. Sec. post, from which
an Oak 30 in. dia. bears N 30 W 29 lth. dist. &
a No. 20 " " " S 13 E 40 " "

62.60 an Oak 20 " "

80.00 Set post Corner to Sec. 5, 6, 7 & 8, from which

Sgt RGE. 2^d Mer. Indiana

427

ch. lks

an Oak 18 in. dia. bears N 32 W 14 lks. dist. &
a Hickory 7 " " S 44 E 18 " "
Land level timber Oak Hick. Beech & Maple

East On Random between Sec. 5 & 8

25.48 a Stream 15 lks. wide Course N. E.

40.00 Set temp. of. Sec. post.

67.00 a Stream 40 lks. wide Course N.

79.06 Intersected the N. & S. line 78 lks. S. of post.

Land tolerably level and the last 1/4 mile very
fertile timber Oak Beech & Sugar undergrowth
Spice, Dogwood &c.

West Corneted between Sec. 5 & 8

39.53 Set of. Sec. post, at average dist. from which
a Beech 7 in. dia. bears N 40 W 13 lks. dist. &
a No. 28 " " " S 27 E 24 " "

79.06 to Section Course

West Between Sec. 6 & 7

30.75 a Stream 10 lks. wide Course E.

40.00 Set of. Sec. post, from which

a Beech 14 in. dia. bears N 40 W 12 lks. dist. &
an Oak 30 " " " N 70 E 5 " "

79.25 Intersected the W. boundary 94 lks. S. of post.

Set post Cor. to Sec. 6 & 7, from which

a Beech 20 in. dia. bears S 79 W 29 lks. dist. &
a No. 18 " " " North 26 " "

Land level timber Oak & Hickory.

North Between Sec. 5 & 6

3.50 a Stream 10 lks. wide Course E.

19.91 a Beech 12 in. dia.

40.00 Set of. Sec. post, from which

a Maple 8 in. dia. bears N 22 W 8 lks. dist. &

a Elm 15 " " " S 6 W 26 " "

T³ N 9 E. 2^d Mer. Indianach. 1st

63.82 a Sugar 12 in. dia.

81.42 Intersected the N. boundary 8th E. of post
 Set post Cor. to Sec. 5 & 6 from which
 an Oak 36 in. dia. bears N 40 W 34th dist. 4
 a Beech 5 " " " S 84 E 5 " "

Land level timber Hickory Oak Maple & Beech

January 12th 1807

Ben. Taylor, L. S.

Jesse Gray }
 Wilson Maddox } Chain Carrier
 John Gray } Marker

Comp.

I Certify that the foregoing transcript of field notes of
 Township N^o 3 North, Range N^o 9 East 2^d Mer. Indiana,
 has been compared with the Original notes, and found
 to be true & correct.

Surveyor General's Office
 Cincinnati, Oct. 14. 1842

William Johnston
 Sur. Genl.